

The right doors can really make the view. Our Exterior French and Sash doors are created with our exclusive ViewSaver® technology, and can be specified with WaterBarrier® and UltraBlock® technology upgrades. What does that mean? Well, you'll maximize your view of the outdoors while keeping the elements of nature away.





37015 | with custom transom

Exterior French
 & Sash Doors

WATERBARRIER® TECHNOLOGY

Simpson Performance Series® upgrades are the perfect blend of beauty and performance. Our innovative manufacturing processes minimize the adverse effects of moisture on wood doors, without sacrificing any of their charm.

WaterBarrier® technology, a component of our Performance Series, helps preserve the beauty of your Simpson doors. Available for a variety of entry, sash and French doors, this innovation affords you superior water protection.

WaterBarrier combines a medium density overlay (MDO) over the exterior surface of the door with PVC bars and glazing beads for an exterior that's not only resistant to moisture, but provides a beautiful surface for paint. And when combined with any wood species on the inside, you can match your interior woodwork and keep the warmth and natural beauty that wood provides.





When you see this icon throughout the catalog, it denotes doors that are available with WaterBarrier technology. To learn more about WaterBarrier technology, please see page 24.



37504WB IN CHERRY with WaterBarrier® technology



37106WB IN KNOTTY ALDER with WaterBarrier® technology



7008WB IN OAK with WaterBarrier® technology



7002WB IN BAMBOO

with WaterBarrier® technology




















▲ 7002 | with WaterBarrier technology







Sea-Storm is a registered trademark of Cardinal Glass Industries. All rights reserved.

Impact-Resistant French Doors

Simpson's Impact-Resistant Doors are built to withstand sustained winds and high levels of impact with the beauty that only a wood door can provide.

Glass Options Available

Now when you order an impact-resistant door, you don't have to settle for clear glass. You have a variety of textured glass options to choose from including:

Cross Reed P516 Seedy Baroque Clear Laminate Delta Frost Rain Narrow Reed Satin Etch White I aminate

You may also choose to add Low-E argon to the glass unit, tint the glass bronze, grey, green, blue or order "turtle code compliant" glass. Contact Simpson for the latest impact-resistant glass offerings. To view these glass options, see page 12.

These doors have been tested for air, water and structural performance to rated design pressures and, when used in conjunction with our WaterBarrier® technology option, are ideally suited for coastal areas or other regions affected by severe weather. To ensure Simpson Impact-Resistant Doors meet code compliance in your area, contact your local building code officials.

Impact-resistance approved under Florida code report #FL9668 and Texas Dept of Insurance Approval Report number DR-289 and DR-291. Non-impact DP rated doors are under Florida code report #FL14487 and #FL14488.

For more information visit: simpsondoor.com, floridabuilding.org, or www.tdi.texas.gov.



More Designs Available

Dozens of additional full-lite door designs are available using Simpson Simulated Divided Lite (SDL) construction and/ or WaterBarrier technology. Contact your Simpson Door supplier for details and specifications.



37010 with impactresistant glass



37109 with impactresistant glass



37104 with impactresistant glass































Can't decide which textured or decorative glass you prefer?
Take the Glass Taste Test at simpsondoor.com/glasstest.

TEST DRIVE YOUR DOOR



ook like in your home? Take any
Simpson door for a Test Drive at

ANY WOOD



Highlight

Wood

There are no limits. You can choose from an array of wood species, from traditional to exotic, each meeting our strict grading standards. For more information, visit simpsondor.com/wood



Additional examples on pages 10-11

↑ 7018 with beveled glass and UltraBlock® technology | shown in knotty pine with 7706 sidelights and custom transom (8'0")







Option: 1501 SG



Wide layout **▶ ○ ※ 1 ※ ○**



Option: 37 SG



7082 IG Option: 282 SG



7103 TDL / 37103 SDL, IG Option: 1503 SG



7104 TDL / 37104 SDL, IG Option: 1504 SG **№ + 以 1 N ()**



7105 TDL / 37105 SDL, IG Option: **1505** SG



7122 TDL / 37122 SDL, IG Option: 1534 SG



7106 TDL / 37106 SDL, IG Option: 1506 SG











Option: **1510** SG

7015 TDL / 37015 SDL, IG Option: 1515 SG

7109 TDL / 37109 SDL, IG Option: **1509** SG **△ ◇ 炒 1 小**〇

7580 TDL / 37580 SDL, IG Option: **1580** SG





₩ 🕈 🛱 🗘































1.800.SIMPSON



GLASS TASTE TEST

Most of the doors in this catalog are shown in Douglas fir with clear glass. However, doors can be ordered with virtually any glass. To find the glass that fits you best, visit simpsondoor.com/glasstest (7104 design shown).




CLEAR



AZURELITE



SEEDY BAROQUE



HEAVY WATER



SEA SPRAY



GLUE CHIP



SCREEN DOT



ROOFTOP



DELTA FROST





EXIERIU	IR FRENCH		
Glazing Type	3/4" Insulated Glazing	1/8" Single Glazing	
Door	7001	1501	
Door	7037	37	
Door	7082	282	
Glazing Type	3/4" TDL Insulated Glazing	3/4" SDL Insulated Glazing	1/8" Single Glazing
Door	7010	37010	1510
Door	7015	37015	1515
Door	7103	37103	1503
Door	7104	37104	1504
Door	7105	37105	1505
Door	7106	37106	1506
Door	7108	37108	1508
Door	7109	37109	1509
Door	7122	37122	1534
Door	7580	37580	1580



7152 TDL / 37152 SDL, IG 7162 TDL / 37162 SDL, IG sidelights Option: 1252 SG door, 1712 SG sidelights



7153 TDL / 37153 SDL, IG Option: 1253 SG

▶ 3 1 1 (1)



7154 TDL / 37154 SDL, IG Option: 1254 SG



Option: 1250 SG **△**◆ 沒 1 🗥 🕽



7155 TDL / 37155 SDL, IG 7709 TDL / 37709 SDL, IG sidelights Option: 1255 SG door, 1709 SG sidelights **△ ◇ 刈 1 小**〇



7157 TDL / 37157 SDL, IG Option: 1257 SG



7151 TDL / 37151 SDL, IG Option: 1251 SG



7156 TDL / 37156 SDL, IG Option: 1256 SG

7058 TDL / 37058 SDL, IG

▶ ☆ ¾ 1 / ()

7050 TDL / 37050 SDL, IG



7055 TDL / 37055 SDL, IG

Option: 1401 SG **△ ☆ 炒 1 小 ○**

7051 IG



7056 TDL / 37056 SDL, IG

Option: **1416** SG

Option: 1418 SG



Option: 1410 SG ▶ 🗘 1 🖔 🗘



Option: **1415** SG

























1.800.SIMPSON

TRUE SIMULATED 3/4" INSULATED 1/8" SINGLE DIVIDED LITE DIVIDED LITE GLAZING GLAZING

ANY WOOD

ANY SIZE

CAMING CHOICES

PRIVACY RATING







Most of the doors in this catalog are shown in Douglas fir with teak stain. However, doors can be ordered in virtually any wood species and can be finished in a wide variety of stains and paints.

WATERBARRIER® TECHNOLOGY



Upgrade your exterior door with WaterBarrier technology, which offers a 5-year warranty with no building overhang required. For more information on WaterBarrier technology, see page 24 or visit simpsondoor.com/waterbarrier.

GLASS OPTIONS



Highlight


Glass

Choose the glass type that works best for the application and your climate. For more information, visit simpsondoor.com.



EXTERIOR FRENCH

Glazing Type	3/4" Insulated Glazing	1/8" Single Glazing	
Door	7051	1401	
Glazing Type	3/4" TDL Insulated Glazing	3/4" SDL Insulated Glazing	1/8" Single Glazing
Door	7050	37050	1410
Door	7055	37055	1415
Door	7056	37056	1416
Door	7058	37058	1418
Door	7150	37150	1250
Door	7151	37151	1251
Door	7152	37152	1252
Door	7153	37153	1253
Door	7154	37154	1254
Door	7155	37155	1255
Door	7156	37156	1256
Door	7157	37157	1257
Sidelight	7162	37162	1712
Sidelight	7709	37709	1709













Wonder what these doors would look like in your home? Take any Simpson door for a Test Drive at simpsondoor.com/testdrive.

Exterior French Doors



Shown with optional white laminate glass | Option: **1603** SG



Option: 1604 SG

7407 IG

₩ 🕈 🗓



Option: 1605 SG

with optional shaker sticking


7408 IG


1 段 🗢 🗸




with optional shaker sticking Option: **1606** SG

PROFILE OPTIONS

























114

You could say it takes a village to build a door. From the lumber inspector to the veneer grader to the stock rustler to the door shipper, it can take over 25 pairs of hands to make a standard Simpson door. Our doors give new meaning to the word "handcrafted."

Exterior French Doors



Doors are shown with clear glass (photographed against white backdrop) unless otherwise noted.



with optional shaker sticking Option: 1610 SG



Option: **1611** SG



4945 IG 1 火 🗢 🕰 with optional shaker sticking Option: 4930 SG



4947 IG ₩ 🕈 🛱 🗘 with optional shaker sticking Option: 4931 SG

7421 IG ▲ 🗘 1 🔥 with optional shaker sticking Option: 1621 SG















Rooftop Screen Dot Sea Spray Additional examples on pages 12-13

Highlight Glass

Choose the glass type that works best for the application and your climate. For more information, visit simpsondoor.com.



EXTERIOR SASH

Glazing Type	3/4" Insulated Glazing	1/8" Single Glazing	
Door	7621	561	
Door	7631	571	
Glazing Type	3/4" TDL Insulated Glazing	3/4" SDL Insulated Glazing	1/8" Single Glazing
Door	7604	37604	544
Door	7614	37614	554
Door	7626	37626	556
Door	7628	37628	568
Door	7636	37636	576
Door	7638	37638	578
		-	

EXTERIOR FRENCH

Door 7171 1421	
Glazing Insulated Insulated Single	
Glazing Insulated Insulated Single	
J	
Door 7170 37170 1420	
Door 7176 37176 1426	
Door 7178 37178 1428	
Door 7180 37180 1430	
Door 7186 37186 1436	
Door 7188 37188 1438	























Doors are shown with clear glass (photographed against white backdrop) unless otherwise noted.

Exterior French & Sash Doors



7621 IG Option: **561** SG

№ ☆ ¾ 1 // ①

△◆ 以 1 **~**

Option: 1428 SG

△ → 刈 1 // ○



7631 IG Option: **571** SG **△** ◇ 沙 1 **△** ○



7604 TDL / 37604 SDL, IG 7614 TDL / 37614 SDL, IG Option: 544 SG



Option: **554** SG

7181 IG

Option: 1431 SG



7626 TDL / **37626** SDL, IG **7636** TDL / **37636** SDL, IG Option: **556** SG



Option: **576** SG



炒◆炒1 ♪○

7176 TDL / 37176 SDL, IG Option: 1426 SG

7186 TDL / 37186 SDL, IG Option: 1436 SG





7628 TDL / 37628 SDL, IG 7638 TDL / 37638 SDL, IG Option: **568** SG

Option: 578 SG

Option: **1421** SG **№ ÷ ¾ 1 // ①**

7171 IG



7170 TDL / 37170 SDL, IG 7180 TDL / 37180 SDL, IG Option: 1420 SG Option: **1430** SG





△ ◇ ¾ 1 **△** ○



SIMPSONDOOR.COM/EXTERIORFRENCHANDSASH

□ 1 2 2 4 4





Note: Door details may have to be altered slightly to accept the WaterBarrier® technology upgrade. Contact a Simpson Authorized Dealer for final specifications.



7178 TDL / 37178 SDL, IG 7188 TDL / 37188 SDL, IG

Option: 1438 SG

△ → 刈 1 // ○





7501 IG

△◆ **以**1 **(**((

7501 door, 7801 sidelight, Option: 501 SG door, 1801 SG sidelight



7521 IG





7504 TDL / 37504 SDL. IG

7802 TDL / 37802 SDL, IG sidelight Option: 504 SG door, 1802 SG sidelight





7524 TDL / 37524 SDL. IG Shown with optional rain glass





7506 TDL / 37506 SDL, IG

7803 TDL / 37803 SDL sidelight Option: 506 SG, 1803 SG sidelight





7508 TDL / 37508 SDL, IG

7804 TDL / 37804 SDL sidelights Option: 508 SG door, 1804 SG sidelights





7528 TDL / 37528 SDL, IG

₩ 🕈 💥 🚺 🔥

7512 TDL / 37512 SDL. IG

7804 TDL / 37804 SDL sidelight Option: 512 SG, 1804 SG sidelight





7522 TDL / **37522** SDL, IG

△ ◇ 以 1 ~

₩ 1 ※





Note: Door details may have to be altered slightly to accept the WaterBarrier® technology upgrade. Contact a Simpson Authorized Dealer for final specifications.

























TRUE SIMULATED 3/4" INSULATED 1/8" SINGLE DIVIDED LITE DIVIDED LITE GLAZING GLAZING

CAMING CHOICES







Upgrade your exterior door with UltraBlock technology and enjoy peace of mind with a 5-year warranty. For more information on UltraBlock technology, see page 25 or visit simpsondoor.com/ultrablock.

WATERBARRIER® TECHNOLOGY



Upgrade your exterior door with WaterBarrier technology, which offers a 5-year warranty with no building overhang required. For more information on WaterBarrier technology, see page 24 or visit simpsondoor.com/waterbarrier.



Highlight

Glass



EXTERIOR SASH

Glazing Type	3/4" Insulated Glazing	1/8" Single Glazing	
Door	7501	501	
Sidelight	7801	1801	
Glazing Type	3/4" TDL Insulated Glazing	3/4" SDL Insulated Glazing	1/8" Single Glazing
Door	7504	37504	504
Door	7506	37506	506
Door	7508	37508	508
Door	7512	37512	512
Door	7522	37522	_
Door	7524	37524	_
Door	7526	37526	_
Door	7528	37528	_
Sidelight	7802	37802	1802
Sidelight	7803	37803	1803
Sidelight	7804	37804	1804

▲ 37944 with UltraBlock® technology







7044 IG 7044 door, 7702 sidelight

Option: 144 SG door, 1702 SG sidelight 14 🕈 🗘 1 🔥



7118 IG

7118 door, 7701 sidelight Option: **118** SG door, **1701** SG sidelight

14 🕈 💥 1 🐧 🗍

7035 TDL / 37035 SDL, IG

7703 TDL / 37703 SDL sidelight Option: 2035 SG door, 1703 SG sidelight

14 🗘 🗘 🚺





7031 IG Option: 2031 SG ▶ 🗘 1 💦

7081 IG

△◆ **¾** 1 **△ ○**

7318 TDL / 37318 SDL, IG

7943 TDL / 37943 SDL. IG

7843 TDL / 37843 SDL sidelight

□ 1 1 以 → 4.

₩ 🕈 🛱 🚺 🚺

7701 sidelight Option: **318** SG door, **1701** SG sidelight

Option: 2943 SG door, 1743 SG sidelight

7081 door, 7702 sidelight with optional flat

panel | Option: 182 SG door, 1702 SG sidelight



7418 TDL / 37418 SDL, IG Option: 418 SG

№ ◆ ※ 1 // (

7570 TDL / 37570 SDL, IG Option: **2570** SG

▶ 3 2 1 1 1





SDL

TDL
























Shown with optional cross reed glass | Option: 108 SG



7618 TDL / 37618 SDL, IG Option: 618 SG

炒◆炒1 **炒**

7117 IG

Option: 117 SG

№ ◆ 炒 1 // (



SG



CAMING CHOICES

PRIVACY RATING



7944 TDL / **37944** SDL, IG

7703 TDL / 37703 SDL sidelight, 7755 transom | Option: 944 SG door, 1703 SG sidelight, 4705 SG transom



2039 SG **△ ◇ 沙 1 //**



2188 SG Double-hung sash w/ built-in screen

(4 🕈 💢 1 🔥



2184 SG Double-hung sash w/ built-in screen **△ ☆ 刈 1 ☆**



2182 SG Double-hung sash w/ built-in screen



△ ◇ ※ 1 ※ ○

7571 IG

7571 door, 7705 sidelight, 7751 transom I Option: **2171** SG door, **1705** SG sidelight, **4701** SG transom

(4) 0 以 1



Note: Door details may have to be altered slightly to accept the WaterBarrier® technology upgrade. Contact a Simpson Authorized Dealer for final specifications.



Highlight Glass

EXTERIOR SASH

Glazing Type	3/4" Insulated Glazing	1/8" Single Glazing	
Door	7008	108	
Door	7031	2031	
Door	7044	144	
Door	7081	182	
Door	7117	117	
Door	7118	118	
Door	7571	2171	
Sidelight	7701	1701	
Sidelight	7702	1702	
Sidelight	7705	1705	
Transom	7751	4701	
Transom	7755	4705	
Glazing Type	3/4" TDL Insulated Glazing	3/4" SDL Insulated Glazing	1/8" Single Glazing
	Insulated	Insulated	Single
Туре	Insulated Glazing	Insulated Glazing	Single Glazing
Type	Insulated Glazing 7035	Insulated Glazing 37035	Single Glazing 2035
Type Door Door	Insulated Glazing 7035 7318	Insulated Glazing 37035 37318	Single Glazing 2035 318
Type Door Door Door	Insulated Glazing 7035 7318 7418	Insulated Glazing 37035 37318 37418	Single Glazing 2035 318 418
Door Door Door Door	Insulated Glazing 7035 7318 7418 7570	Insulated Glazing 37035 37318 37418 37570	Single Glazing 2035 318 418 2570
Door Door Door Door Door Door	Insulated Glazing 7035 7318 7418 7570 7618	Insulated Glazing 37035 37318 37418 37570 37618	Single Glazing 2035 318 418 2570 618
Type Door Door Door Door Door Door Door Door	Insulated Glazing 7035 7318 7418 7570 7618 7943	Insulated Glazing 37035 37318 37418 37570 37618 37943	Single Glazing 2035 318 418 2570 618 2943
Door Door Door Door Door Door Door Door	Insulated Glazing 7035 7318 7418 7570 7618 7943	Insulated Glazing 37035 37318 37418 37570 37618 37943 37944	Single Glazing 2035 318 418 2570 618 2943 944

7002 with custom transoms










Can't decide which textured or decorative glass you prefer? Take the Glass Taste Test at simpsondoor.com/glasstest.

Exterior Sash Doors



7860 IG Shown with optional sable glass 7860 door, 7260 sidelight I Option: 1680 SG door, 1780 SG sidelight 14 6 数 🗢 🕰




7862 IG Option: 1686 SG **△** ◆ **刈** 1 **△**



7680 TDL / **37680** SDL, IG 7681 TDL / 37681 SDL sidelight Option: 1655 SG door, 1763 SG sidelight **炒**◆炒1 ₩





Option: 1664 SG door **△ ◇ 刈 1 小**

7664 TDL / 37664 SDL, IG

7684 TDL / 37684 SDL, IG 7663 TDL / 37663 SDL sidelight Option: 1654 SG door, 1762 SG sidelight ▲ 2 以 1 🔥



7660 TDL / 37660 SDL, IG























GLASS OPTIONS



Highlight

Glass

Choose the glass type that works best for he application and your climate. For more nformation, visit simpsondoor.com.



EXTERIOR SASH

Glazing Type	3/4" Insulated Glazing	1/8" Single Glazing	
Door	7860	1680	
Door	7862	1686	
Sidelight	7260	1780	
Glazing Type	3/4" TDL Insulated Glazing	3/4" SDL Insulated Glazing	1/8" Single Glazing
Door	7660	37660	1660
Door	7662	37662	1662
Door Door	7662 7664	37662 37664	1662 1664
Door	7664	37664	1664
Door	7664 7680	37664 37680	1664 1655
Door Door Door	7664 7680 7684	37664 37680 37684	1664 1655 1654

▲ 7662 with UltraBlock® technology | shown in fir with 7663 sidelights

