

Door Specifications

Design No.	Page No.	Stile		Top Rail*		Lock Rail	Bottom Rail**	
		3'0"	3'6"	6'8"	7'0"		6'8"	7'0"
20	a22	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
30	a22	4 1/2	4 1/2	4 9/16	6 9/16	4 1/2	9 3/8	11 3/8
37	a1	5 1/2	5 1/2	6 9/16	6 9/16	N/A	18 1/2	18 1/2
44	a25	4 1/2	4 1/2	4 9/16	6 9/16	7 1/2	9 3/8	11 3/8
46	a25	4 1/2	4 1/2	4 9/16	6 9/16	7 1/2	9 3/8	11 3/8
48	a25	4 1/2	7 1/2	8	10	7 1/2	9 3/8	11 3/8
55	a22	4 1/2	4 1/2	4 9/16	6 9/16	4 1/2	9 3/8	11 3/8
65	a23	4 1/2	4 1/2	4 9/16	6 9/16	4 1/2	9 3/8	11 3/8
66	a25	4 1/2	4 1/2	4 9/16	6 9/16	7 1/2	9 3/8	11 3/8
68	a23	4 1/2	7 1/2	9 1/2	11 1/2	4 1/2	9 3/8	11 3/8
75	a23	4 1/2	4 1/2	4 9/16	6 9/16	4 1/2	9 3/8	11 3/8
82	a22, a26	4 1/2	4 1/2	4 9/16	6 9/16	7 1/2	9 3/8	11 3/8
84	a22	4 1/2	4 1/2	4 9/16	6 9/16	4 1/2	9 3/8	11 3/8
85	a23	4 1/2	4 1/2	4 9/16	6 9/16	4 1/2	9 3/8	11 3/8
88	a25	4 1/2	4 1/2	4 9/16	6 9/16	4 1/2	9 3/8	11 3/8
160	a22	4 1/2	4 1/2	4 9/16	6 9/16	4 1/2	9 3/8	11 3/8
161	a23	4 1/2	4 1/2	4 9/16	6 9/16	10 1/2	9 3/8	11 3/8
162	a22	4 1/2	4 1/2	4 9/16	6 9/16	4 1/2	9 3/8	11 3/8
163	a23	4 1/2	4 1/2	4 9/16	6 9/16	4 1/2	9 3/8	11 3/8
164	a23	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
266	a26	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
282	a1	4 1/2	4 1/2	4 9/16	6 9/16	7 1/2	9 3/8	11 3/8
465	a26	4 1/2	7 1/2	9 1/2	11 1/2	7 1/2	9 3/8	11 3/8
466	a26	4 1/2	4 1/2	4 9/16	6 9/16	7 1/2	9 3/8	11 3/8
720	a29	4 7/16	4 7/16	4 7/16	6 7/16	N/A	9 5/16	11 5/16
730	a29	4 7/16	4 7/16	4 7/16	6 7/16	N/A	9 5/16	11 5/16
744	a30	4 7/16	4 7/16	4 7/16	6 7/16	7 3/8	9 5/16	11 5/16
755	a30	4 7/16	4 7/16	4 7/16	6 7/16	N/A	9 5/16	11 5/16
760	a29	4 7/16	4 7/16	4 7/16	6 7/16	N/A	9 5/16	11 5/16
762	a29	4 7/16	4 7/16	4 7/16	6 7/16	N/A	9 5/16	11 5/16
766	a30	4 7/16	4 7/16	4 7/16	6 7/16	7 3/8	9 5/16	11 5/16
782	a29	4 7/16	4 7/16	4 7/16	6 7/16	7 3/8	9 5/16	11 5/16
1120	a21	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1181	a21	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1182	a21	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1250	a5	5 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1251	a5	5 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1252	a4	5 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1253	a4	5 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1254	a4	5 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1255	a5	5 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1256	a5	5 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1257	a5	5 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1303	a18	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1304	a18	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1305	a18	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1306	a18	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1308	a18	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1309	a20	5 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1310	a19	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1315	a19	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1401	a7	4 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1410	a7	4 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1415	a7	4 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1416	a7	4 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1418	a7	4 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1420	a9	4 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1421	a8	4 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1426	a8	4 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8

*Top rails are trimmed by 1/8" during final sizing.

**Bottom rails are trimmed approx. 3/16" during final sizing.

1 3/8" Specifications

Door Specifications

Design No.	Page No.	Stile		Top Rail*		Lock Rail	Bottom Rail**	
		3'0"	3'6"	6'8"	7'0"		6'8"	7'0"
1428	a9	4 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1430	a9	4 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1431	a8	4 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1436	a8	4 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1438	a9	4 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1501	a1	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1503	a2	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1504	a2	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1505	a2	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1506	a2	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1508	a2	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1509	a6	5 1/2	5 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1510	a3	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1515	a3	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1534	a2	4 1/2	4 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1550	a14	4 1/2	7 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1551	a14	4 1/2	N/A	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1552	a14	4 1/2	7 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1569	a14	4 1/2	7 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1570	a12	4 1/2	7 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1575	a12	4 1/2	7 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1580	a6	4 1/2	7 1/2	8	10	N/A	9 3/8	11 3/8
1590	a16	4 1/2	7 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1592	a16	4 1/2	7 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1593	a16	4 1/2	7 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1594	a16	4 1/2	7 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1595	a16	4 1/2	7 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1596	a16	4 1/2	7 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1597	a12	4 1/2	7 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
1598	a12	4 1/2	7 1/2	4 9/16	6 9/16	N/A	9 3/8	11 3/8
88402	a10	4 7/16	4 7/16	4 5/16	6 5/16	NA	9 3/16	11 3/16
88403	a10	4 7/16	4 7/16	4 5/16	6 5/16	NA	9 3/16	11 3/16
88404	a10	4 7/16	4 7/16	4 5/16	6 5/16	NA	9 3/16	11 3/16
88405	a10	4 7/16	4 7/16	4 5/16	6 5/16	NA	9 3/16	11 3/16
88406	a10	4 7/16	4 7/16	4 5/16	6 5/16	NA	9 3/16	11 3/16
88421	a10	4 7/16	4 7/16	4 5/16	6 5/16	NA	9 3/16	11 3/16
88422	a10	4 7/16	4 7/16	4 5/16	6 5/16	NA	9 3/16	11 3/16
88423	a10	4 7/16	4 7/16	4 5/16	6 5/16	NA	9 3/16	11 3/16
88424	a10	4 7/16	4 7/16	4 5/16	6 5/16	NA	9 3/16	11 3/16
88425	a10	4 7/16	4 7/16	4 5/16	6 5/16	NA	9 3/16	11 3/16
88426	a10	4 7/16	4 7/16	4 5/16	6 5/16	NA	9 3/16	11 3/16
88462	a10	4 7/16	4 7/16	4 5/16	6 5/16	NA	9 3/16	11 3/16
88463	a10	4 7/16	4 7/16	4 5/16	6 5/16	NA	9 3/16	11 3/16
88464	a10	4 7/16	4 7/16	4 5/16	6 5/16	NA	9 3/16	11 3/16
88465	a10	4 7/16	4 7/16	4 5/16	6 5/16	NA	9 3/16	11 3/16
88466	a10	4 7/16	4 7/16	4 5/16	6 5/16	NA	9 3/16	11 3/16

Sidelight Specifications

Design No.	Page No.	Stile		Top Rail*		Lock Rail	Bottom Rail**	
		1'2"	1'4"	6'8"	7'0"		6'8"	7'0"
1701	a1	2 25/32	2 25/32	4 9/16	6 9/16	N/A	9 7/8	11 7/8
1705	a3	2 25/32	2 25/32	4 9/16	6 9/16	N/A	9 7/8	11 7/8
1712	a4	2 25/32	2 25/32	4 9/16	6 9/16	N/A	9 7/8	11 7/8
1709	a5, a6	2 25/32	2 25/32	4 9/16	6 9/16	N/A	9 7/8	11 7/8
1751	a14	2 25/32	3 25/32	4 9/16	6 9/16	N/A	9 7/8	11 7/8
1769	a14	2 25/32	3 25/32	4 9/16	6 9/16	N/A	9 7/8	11 7/8

8'0" Door Specifications

Design No.	Page No.	Stile		Top Rail*	Lock Rail	Bottom Rail**
		3'0"	3'6"	8'0"		8'0"
1312	a19	4 1/2	4 1/2	4 9/16	N/A	9 3/8
1318	a19	4 1/2	4 1/2	4 9/16	N/A	9 3/8
1512	a3	4 1/2	4 1/2	4 9/16	N/A	9 3/8
1518	a3	4 1/2	4 1/2	4 9/16	N/A	9 3/8
1550	a15	4 1/2	7 1/2	4 9/16	4 1/2	9 3/8
1551	a15	4 1/2	7 1/2	4 9/16	4 1/2	9 3/8
1552	a15	4 1/2	7 1/2	4 9/16	4 1/2	9 3/8
1569	a15	4 1/2	7 1/2	4 9/16	4 1/2	9 3/8
1570	a13	4 1/2	7 1/2	4 9/16	4 1/2	9 3/8
1575	a13	4 1/2	7 1/2	4 9/16	4 1/2	9 3/8
1590	a17	4 1/2	7 1/2	4 9/16	4 1/2	9 3/8
1592	a17	4 1/2	7 1/2	4 9/16	4 1/2	9 3/8
1593	a17	4 1/2	7 1/2	4 9/16	4 1/2	9 3/8
1594	a17	4 1/2	7 1/2	4 9/16	4 1/2	9 3/8
1595	a17	4 1/2	7 1/2	4 9/16	4 1/2	9 3/8
1596	a17	4 1/2	7 1/2	4 9/16	4 1/2	9 3/8
1597	a13	4 1/2	7 1/2	4 9/16	4 1/2	9 3/8
1598	a13	4 1/2	7 1/2	4 9/16	4 1/2	9 3/8
88402	a11	4 7/16	4 7/16	4 5/16	4 7/16	9 3/16
88403	a11	4 7/16	4 7/16	4 5/16	4 7/16	9 3/16
88404	a11	4 7/16	4 7/16	4 5/16	4 7/16	9 3/16
88405	a11	4 7/16	4 7/16	4 5/16	4 7/16	9 3/16
88406	a11	4 7/16	4 7/16	4 5/16	4 7/16	9 3/16
88421	a11	4 7/16	4 7/16	4 5/16	4 7/16	9 3/16
88422	a11	4 7/16	4 7/16	4 5/16	4 7/16	9 3/16
88423	a11	4 7/16	4 7/16	4 5/16	4 7/16	9 3/16
88424	a11	4 7/16	4 7/16	4 5/16	4 7/16	9 3/16
88425	a11	4 7/16	4 7/16	4 5/16	4 7/16	9 3/16
88426	a11	4 7/16	4 7/16	4 5/16	4 7/16	9 3/16
88462	a11	4 7/16	4 7/16	4 5/16	4 7/16	9 3/16
88463	a11	4 7/16	4 7/16	4 5/16	4 7/16	9 3/16
88464	a11	4 7/16	4 7/16	4 5/16	4 7/16	9 3/16
88465	a11	4 7/16	4 7/16	4 5/16	4 7/16	9 3/16
88466	a11	4 7/16	4 7/16	4 5/16	4 7/16	9 3/16

8'0" Sidelights Specifications

Design No.	Page No.	Stile		Top Rail*	Lock Rail	Bottom Rail**
		1'2"	1'4"	8'1/2"		8'1/2"
1706	a3	2 25/32	2 25/32	4 9/16	N/A	9 7/8
1751	a15	2 25/32	3 25/32	4 9/16	4 1/2	9 7/8
1769	a15	2 25/32	3 25/32	4 9/16	4 1/2	9 7/8

*Top rails are trimmed by 1/8" during final sizing.

**Bottom rails are trimmed approx. 3/16" during final sizing.

1 3/8" Specifications

Bifold Door Specifications

Design No.	Page No.	Stile 3'0"	Top Rail*		Lock Rail	Bottom Rail**	
			6'8"	7'0"		6'8"	7'0"
21	a24	2 1/16	4 9/16	6 9/16	N/A	8 1/4	10 1/4
33	a24	2 1/16	4 9/16	6 9/16	N/A	8 1/4	10 1/4
43	a24, a27	2 1/16	4 9/16	6 9/16	7 1/2	8 1/4	10 1/4
45	a28	2 1/16	8 1/4	10 1/4	7 1/2	8 1/4	10 1/4
54	a28	2 1/16	4 9/16	6 9/16	N/A	8 1/4	10 1/4
60	a24	2 1/16	4 9/16	6 9/16	N/A	8 1/4	10 1/4
63	a27	2 1/16	4 9/16	6 9/16	7 1/2	8 1/4	10 1/4
80	a28	2 1/16	8 1/4	10 1/4	7 1/2	8 1/4	10 1/4
87	a27	2 1/16	4 9/16	6 9/16	4 1/2	8 1/4	10 1/4
700	a31	2	4 7/16	6 7/16	N/A	8 1/8	10 1/8
701	a31	2	4 7/16	6 7/16	N/A	8 1/8	10 1/8
702	a31	2	4 7/16	6 7/16	7 3/8	8 1/8	10 1/8
703	a31	2	4 7/16	6 7/16	N/A	8 1/8	10 1/8
705	a31	2	4 7/16	6 7/16	N/A	8 1/8	10 1/8
706	a31	2	4 7/16	6 7/16	7 3/8	8 1/8	10 1/8

Rectangular Transom Specifications

Design No.	Page No.	Horizontal Rails 3'0"	Ends	
			3'0"	6 3/4"
4701	a32	2 25/32	5 1/2	5 1/2
4705	a32	2 25/32	5 1/2	5 1/2