## INSPIRATION *at your door*<sup>®</sup>

— IDEABOOK —



simpsondoor.com





There's a reason why a welcome mat is placed at the foot of a door. A door is the warm greeting as you enter the home. Conversely it is the welcoming promise of the world beyond as you leave those walls behind. The closing of a door can bring comfort and security. The opening leads to possibilities and wonder. As the first and last impression, a door is not only representative of your creativity and style, but it's something that helps transport you to and from life's events. Choose the right door and welcome beauty, elegance, character, and of course, unparalleled quality to your life.




 Top: 7001 Double, shown in Sapele Mahogany


 Bottom: 7230, shown in Sapele Mahogany with UltraBlock\* technology
 © Davis Photography


49801 Monster Barn, shown in Douglas Fir © Ojai Door & Window





Design: @evalarocqueinteriors and @riccostyle; Photo: @jesskettle





7081 Dutch with WaterBarrier® technology

Featured Project: Brett & Kara Phillips Fort Worth, TX • @brettandkara

37504 with WaterBarrier® technology



77504 Nantucket 77802 sidelights, shown in Douglas Fir with Seedy Baroque glass

SCAR --

C.

10

11390

**P** 

and there



## Table of Contents

SIMPSONDOOR.COM	8
DESIGN TOOLS	ç
HOW TO ORDER	10
4 PATHWAYS TO YOUR PERFECT DOOR	16
EXTERIOR DOOR UPGRADES	18
Nantucket Collection™	19
WaterBarrier® Technology	20
UltraBlock <sup>®</sup> Technology	20
CONCEPT <sup>®</sup> CUSTOM DOOR GALLERY	22
COLLECTIONS BY ARCHITECTURAL STYLE	28
Modern Farmhouse	28
Modern	34
Craftsman	4(
Traditional	46
Coastal	52
Cottage	58
Colonial	64
Southwestern	66
Victorian	68
RESOURCES	70
Care & Finishing	70
Warranties	7
Index	72



4974 (Left), 4977 (Right), shown in Douglas Fir with UltraBlock® technology © Charming Detroiter



7220, shown with UltraBlock® technology © Jeff Roberts Imaging





37104, shown in Sapele Mahogany with Narrow Reed glass and UltraBlock® technology

Top: 720 Double Pocket, shown in White Oak Bottom: 37506, with WaterBarrier® technology @marnieourseler, @danajeffereyhoff



Top: 7421 Double, shown in Oak with UltraBlock® technology © JRP Design & Remodel

7405, shown in Douglas Fir with Narrow Reed glass and UltraBlock® technology



## You had us at hello.


### Explore more at simpsondoor.com

This Ideabook provides a broad view of the various doors, options and design ideas from Simpson.

As you browse each section, you will see QR codes. Let your home's architectural style speak to you as you find the place between beautiful and functional for your home's doors. Then, scan the QR code in each section to see the complete collection for your style.



Get more from Simpson Online simpsondoor.com



## DESIGN tools

Turn your imagination into reality with these unique door visualizers, available at simpsondoor.com/designtools. Building a door that reflects your creativity and personality is now easier than ever.



Get more from Our Design Tools simpsondoor.com/designtools





View Your Nantucket Options Try our high-performance Nantucket construction on countless doors.



Create Your Dutch Door Simpson can turn almost any door into a Dutch door.





**Choose Any Type of Wood** See the most requested wood types.





Picture Any Door in Your Home Take our doors for a test drive, in your home or one like it.



See Any Door with Any Glass Visualize any type of glass for the look & privacy you desire.





**Contemporary & Custom** Build a flush-style door in virtually any design, wood type and glass.



## *Make a stunning* FIRST IMPRESSION.

#### Life is about choices.

Sometimes you have an exact idea of the type of door you're looking for, while other times you know what door is right "when you see it." Simpson has many options to make finding the right door simple and carefree, and since you can get a Simpson door in any wood, any glass or any style, the possibilities are endless. That's why we've broken down the process into six easy steps. In doing so, we can help keep your decision making focused and your possibilities infinite. Just imagine what you can create.



Get more from **simpsondoor.com** simpsondoor.com/howtoorder



## How to ORDER



Complement your home with popular designs from our architectural collections like Cottage, Coastal or Modern Farmhouse.



Our doors can be made in all shapes and sizes. No matter what you have in mind, Simpson can make your wood door come to life. Select your size up to 10 feet tall, 8 feet wide and 2-1/4" thick. Plus select virtually any shape.



Simpson offers dozens of wood types, each with its own distinctive character. Choose from traditional to exotic, each meeting our strict grading standards.



## How to ORDER



Whether you are concerned about privacy or just want to add a contemporary touch to your door design, we can deliver the perfect piece of glass that reflects your vision.



Personalize your door using a variety of panel types, sticking profiles and decorative mouldings. Or opt for something special like a Dutch door, pivot door or a door on barn track.



Sometimes an exterior door needs additional protection from the demanding elements of Mother Nature. Make sure you are selecting the right upgrades for your exterior exposure.

## **Further POSSIBILITIES**

MATCHING MILLWORK



Make your home truly stand out with a Simpson door. Imagine how much more impressive it would be when paired with a matching Simpson jamb, casing, and other millwork. Add this finishing touch with a wide range of Simpson millwork options, tailored to fit your preferences in profile, size, and wood type.



Your Simpson doors can be seamlessly integrated into your home in a variety of ways. While most doors swing on hinges, consider other popular applications when you find your perfect match. Your Simpson doors can be machined, prehung and prepared to exactly complete your vision.



Simpson is combining two of our great loves, the love for our home and our pets, with the introduction of our dog door collection. Simpson can offer dog doors in a variety of existing Simpson door designs and is featuring both the 49971 and 7008 designs as standard dog door designs.





## Your Home *for* Rewards



We believe in rewarding our valued customers every step of the way. That's why we're thrilled to offer you regular rebates and promotions, designed to make your shopping experience even more welcoming.

To stay in the loop and never miss out on a great deal, simply head over to our website and check out our latest promotions. With new offers added regularly, there's always something exciting waiting for you.



explore *the* rebates







720, shown in Douglas Fir

Ð

 Featured Project: Alma Homes

 Orono, MN • @almahomes



720, shown in Douglas Fir



720 Double, shown in Douglas Fir



ONLINE TOOL

# 4 Pathways to Your Perfect Door

We want to help you easily find your perfect door. That's why we launched our Find A Door web tool. This interactive platform takes the guesswork out of door shopping.



### **01** Help Me Using Filters

If you have an idea of the type of door that you are looking for, we will help narrow your choices though filters.

### 2 Guide Me Step-By-Step

Need some extra help to find your door? You can follow our step-by-step guide to help you choose.



Browse our inspirational gallery, click on an image and go to that door's details, specs and options.

### I Know My Door Number

Enter the specific design number and go directly to the details, specs and options for that Simpson door.



Find a Door **Try it Now!** simpsondoor.com/findadoor



14

shown in Douglas Fir with metal inlays and UltraBlock® technology

110 855

Do THE

Sold II

1000

12

And Party

BE A DOOR EXPERT

### **Know Your Overhang**

When it comes to high-performance exterior wood doors, Simpson has you covered. And when you are selecting an exterior door, make sure you are selecting the right type of door for that door's exposure to the elements.

### Yes, my door has adequate overhang, so I can select any design.

See drawing to the right for what is considered an adequate overhang. If your door opening has this type of protection or more, you can select any type of Simpson exterior door and in any wood type. And when your door has UltraBlock<sup>®</sup> technology, it will also feature a 5-year warranty.

#### No, my door does not have adequate overhang, so I should select either doors from the Nantucket Collection™ or doors with WaterBarrier® technology.

If your door does not have an adequate overhang, Simpson has options for you. Select either the WaterBarrier technology upgrade for any exterior door or select a door from the Nantucket Collection. These offerings are engineered and built to withstand the weather and provide a full warranty in any type of exposure. Doors with WaterBarrier technology carry a 5-year warranty and Nantucket Collection doors carry a 10-year warranty, all with no overhang required.

# x Y X ≥ 1/2 Y

Where X is the length of the overhang required and Y is the distance from the bottom of the door to the base of the overhang.







#### NANTUCKET COLLECTION™

Beauty & Durability

Nicknamed "The Gray Lady" due to its regular foggy conditions, Nantucket is known for being historic, hardy and starkly beautiful. Windblown beaches and weather-beaten shingles are a way of life on this blustery island. This same spirit is reflected in our Nantucket Collection<sup>™</sup>... doors built to stand up to the elements while standing out, thanks to their classic design and unsurpassed craftsmanship.

#### Unbeatable Construction

- Mortise-and-tenon joinery with face-driven pins
- Two-piece laminated stile-and-rail construction
- Divided lite doors made with SDL construction
- Design pressure ratings of DP50 (additional hardware may be required in some applications)

#### **Wood Species Options**

- Available in Western Hemlock, Douglas Fir, Sapele Mahogany, Nootka Cypress and Accoya (provided factory-primed).
- Hardwood tenon and matching species face pins

#### **Design Options**

- Thickness 1-3/4" or 2-1/4"
- Sticking Profiles Shaker or Ovolo
- Panel Options 1-7/16" Innerbond® double hipraised panel or 1-7/16" SelectGuard<sup>™</sup> scoop single hip-raised panel or 3/4" SelectGuard flat panel
- Nantucket Collection doors come standard with a face pin with an option for no face pin


#### **Standard Joinerv**

#### Solid Two-Piece Mortised Rail

#### Solid Two-Piece **Mortised Stile**

(Available in Western Hemlock, Douglas Fir, Sapele Mahogany and Nootka Cypress)

(Available in Western Hemlock, Douglas Fir, Sapele Mahogany and Nootka Cypress)



Tenon

#### Face Pin


#### **Optional Joinery**

#### Solid Two-Piece Mortised Rail

#### Solid Two-Piece **Mortised Stile**

(Available in Western Hemlock, Douglas Fir, Sapele Mahogany, Nootka Cypress and Factory-Primed Accoya)

(Available in Western Hemlock, Douglas Fir, Sapele Mahogany, Nootka Cypress and Factory-Primed Accoya)



### **Nantucket Collection Warranty**

10-year warranty with no building overhang required.



19

77860 Nantucket ഹ 77260 sidelights, shown in Douglas Fir with shaker sticking



### WaterBarrier® Technology

Water-resistant glazing beads and SDL bars on exterior side. Wood bars on interior side.

Primed Medium Density

Overlay for flat surfaces SelectGuard<sup>®</sup> scoop single hip-raised and Innerbond<sup>®</sup> double hip-raised panels have a water-resistant primer

WaterBarrier<sup>®</sup> technology helps preserve the beauty of your Simpson doors even in tough exposures subject to harsh weather. Available for any Simpson exterior door, this innovation affords you superior water protection.

WaterBarrier combines a medium density overlay (MDO) over the exterior surface of the door with water-resistant glazing beads and bars for an exterior that's not only resistant to moisture, but provides a beautiful surface for paint. And when combined with any wood type on the inside, you can stain or paint the interior to match your woodwork and keep the warmth and natural beauty that wood provides.



**37944 WB** shown in Douglas Fir with WaterBarrier<sup>®</sup> technology

### UltraBlock® Technology

A long time favorite of Simpson's most discriminating customers, UltraBlock<sup>®</sup> technology adds a water-resistant composite block in the bottom of the door stiles, where water infiltration can occur in a tough exposure. Our exclusive Weather Seal<sup>™</sup> process provides additional protection against moisture penetrating the bottom rail. It's our answer to the galoshes you splashed around in as a kid.



UltraBlock Technology Warranty

5-year warranty and available for any exterior door.

#### WaterBarrier Technology Warranty

5-year warranty with no building overhang required. When ordering WaterBarrier technology, UltraBlock technology is always included.

### Weather Seal<sup>™</sup> Process

*Entire stile-and-rail joints coated and bonded to decrease the possibility of water infiltration* 

### ' UltraBlock<sup>®</sup> Technology

Composite block material finger-jointed into the bottom of the stiles



## *Concept<sup>®</sup>Custom* DOOR GALLERY

You will see a variety of designs throughout this Ideabook that have a design number. You can choose any of these designs and then personalize any detail to your own specifications. Or start with your own pencil and paper and design something from scratch. The following pages are examples of doors that were created by homeowners just like you.



See more Custom Ideas simpsondoor.com/ideagallery



Top: 7220, with custom carved panel and UltraBlock<sup>®</sup> technology Bottom: Custom Round Top, shown in Oak











1501 Double Pocket, shown in Douglas Fir with custom glass






© Davis Photography



7429 Double, shown in Walnut, with shaker sticking and UltraBlock® technology © Davis Photography



 Top: 7429 Double, shown in Walnut, with shaker sticking and UltraBlock® technology
 © Davis Photography

 Bottom: 7428 Double, shown in Walnut, with shaker sticking and UltraBlock® technology
 © Davis Photography





Custom Double, shown in Douglas Fir @cooperdoors and @cydsimages



© Davis Photography

#### MODERN FARMHOUSE

## *Down-Home* UPGRADED

Simple and clean, without losing character, farmhouse style is more than barn doors. Raw wood elements and neutral palettes with a pop of color make this down-home aesthetic perfect for your home.



View more of our **Modern Farmhouse Doors** simpsondoor.com/modernfarmhouse





WaterBarrier® technology © Design: @evalarocqueinteriors and @riccostyle; Photo: @jesskettle

-

Am



49853 Barn, 7701 sidelights shown in Douglas Fir with UltraBlock® technology @undonehome, @gritandgracebuilds, @danielmarchiphoto



982 Double Pocket, with shaker sticking Design: @evalarocqueinteriors and @riccostyle; Photo: @jesskettle



**36803 Double,** shown in Douglas Fir with UltraBlock® technology"

© Jill Whelan

EXPLORE YOUR OPTIONS Your Door. Any Wood.

Simpson offers a broad range of wood types, each with its own distinctive grain, color and character. Choose any wood for any door.





37504, 7751 transom, with shaker sticking and WaterBarrier® technology



36803, shown in Knotty Alder with UltraBlock® technology © Renewal Models



37444 Dutch, with WaterBarrier® technology



#### EXTERIOR MODERN FARMHOUSE DOORS



**70773** shown in Douglas Fir

36803 37753 transom, shown in Douglas Fir with angled mutt



**37662** 37663 sidelight, shown in Douglas Fir



**7118** shown in Maple



**37504** shown in Douglas Fir



**7501** shown in Sapele Mahogany



7404 shown in Cherry with shaker sticking



7008

7741 transom,

shown in Oak

**7403** shown in Douglas Fir



**37010** shown in Ponderosa Pine



37109 shown in Walnut



**49865\* (Left), 49866\* (Right)** shown in Douglas Fir



Of course there's more **Modern Farmhouse Doors** simpsondoor.com/modernfarmhouse

\*As viewed from the exterior of the home.



Featured Project: House Seven Design Indianapolis, IN • @housesevendesign



37482 Dutch, with WaterBarrier® technology

37482 Dutch, with WaterBarrier® technology





### **EXPLORE YOUR OPTIONS**

### Go Dutch



Nothing says classic Americana like a Dutch door. As long as your door has a wood component across the center, Simpson can make it into a Dutch door.



2035 Dutch

730, shown in Poplar © Nat Rea

INTERIOR MODERN (6) FARMHOUSE DOORS





**89815** Redi-Prime® shown in Ellie Gray







65 shown in Douglas Fir with raised panel



55 shown in Douglas Fir with raised panel



shown in

Western Hemlock



49812 shown in Knotty Alder



182 Double, shown in Douglas Fir © Jill Whelan

49812 Barn, shown in Douglas Fir

Top: 8082 Redi-Prime®, with raised panel Bottom: 8782 Redi-Prime<sup>®</sup> © Williams Geddes





782 shown in Douglas Fir



730 shown in Poplar





**1604** shown in Douglas Fir with shaker sticking 1303 shown in Cherry





Of course there's more Modern Farmhouse Doors simpsondoor.com/modernfarmhouse

Matching bifold and fire-rated doors available for all interior panel door designs.





182 Dutch shown in Douglas Fir

#### MODERN


## BETTER than new

Less is more with this design style that blends clean lines, neutral palettes and minimal décor. Modern design is tailored, streamlined, thoughtfully placed, but never overly symmetrical. It's an edited approach that provides a sense of serene minimalism.




View more of our Modern Doors simpsondoor.com/modern





Top: 37104, shown in Sapele Mahogany with UltraBlock® technology Bottom: 7410, shown in Sapele Mahogany with Narrow Reed glass, shaker sticking and UltraBlock® technology









49900, shown in Walnut







shown in Douglas Fir

and Sapele Mahogany

49926 shown in Cherry with silver metal inlay



49955 shown in Sapele Mahogany and Douglas Fir



49926 Dutch shown in Maple



49908\* 49910 sidelight, shown in Douglas Fir shown in Cherry with flush shaker sticking



4974\* (Left) & 4977\* (Right) shown in Douglas Fir



7404 7751 transom, shown in Cherry with shaker sticking



shown in Douglas Fir shown in Knotty Alder with shaker sticking with shaker sticking



49900

7410 7810 sidelight, shown in Walnut with shaker sticking



with shaker sticking



View more of our **Modern Doors** simpsondoor.com/modern

\*As viewed from the exterior of the home.



49908, shown in Douglas Fir with Satin Etch glass and UltraBlock® technology © Moser Architects, PLLC



7409, shown in Douglas Fir with shaker sticking and UltraBlock® technology



Custom Entry System, shown in Walnut with UltraBlock® technology



49941\* shown in Sapele Mahogany

7003



4976\* (Left), 4926\* (Right) shown in Douglas Fir

### EXPLORE YOUR OPTIONS Pivot Door System



Differentiate your home with this on-trend solution. Choose virtually any door (exterior or interior), and make a statement while retaining performance, ease and security.



give it a *spin* 

38











**720** shown in Cherry

**8782** Redi-Prime®





shown in Sapele Mahogany



**49966** shown in reclaimed Fir and Pine

**49932** shown in Sapele Mahogany





**8735** Redi-Prime®





1643, with White Laminate glass and shaker sticking



49900, shown in Douglas Fir with v-grooves





**282** shown in Douglas Fir with Thatch 50% resin panel





**4931 (Left), 4941 (Right)** shown in Douglas Fir with shaker sticking



View more of our Modern Doors simpsondoor.com/modern

Matching bifold and fire-rated doors available for all interior panel door designs.




39







Top: 6841, 6171 sidelights shown in Douglas Fir with UltraBlock<sup>®</sup> technology ©Juana Gomez / Lawrence and Gomez Architects Middle: 36803, 9541 dentil shelf, custom sidelights, and 7725 transom shown in Douglas Fir with UltraBlock<sup>®</sup> technology







Top: 36803 Double, 9541 dentil shelf, shown in Douglas Fir with 032 Clear glass and UltraBlock® technology Bottom: 37504, shown in White Oak with UltraBlock® technology

CRAFTSMAN

### *All-American* ARTISTRY

Originating from the arts-and-crafts movement at the turn of the 19th century, this design style features natural materials, cozy interiors and wide porches. Warm, natural wood doors with dentil shelves and decorative glass support the timeless appeal of this enduring American tradition.



View more of our **Craftsman Doors** 

simpsondoor.com/craftsman



41





#### EXTERIOR CRAFTSMAN DOORS





**70744** shown in Douglas Fir

77144 Nantucket shown in Nootka Cypress



49726801shown in Sapele Mahogany6170 sidelight, shown in<br/>Douglas Fir



77664 Nantucket shown in Douglas Fir with shaker sticking



**37662** 37663 sidelight and 9541 dentil shelf, shown in Douglas Fir



**36843 Valencia™ II** 6171 sidelights, 6787 transom, and 9540 dentil shelf shown in Douglas Fir with angled mutt and black caming



**6982 Scottsdale Cactus™ III** 6185 sidelight, shown in Douglas Fir with black caming



6992 Northwest Garden<sup>®</sup> II 6187 sidelight, shown in Douglas Fir with arched rail and black caming



View more of our Craftsman Doors

simpsondoor.com/craftsman



6861, 6175 sidelights, shown in Douglas Fir with UltraBlock® technology  $\circledast$  Moser Architects, PLLC



 $37512,\,37213$  sidelights, shown in White Oak with v-groove panel and UltraBlock  $^\circ$  technology



 ${\bf 6881}\,{\bf Solano^{\circ}}\,{\rm III},$  6171 sidelight and 9541 dentil shelf, shown in Douglas Fir with UltraBlock\* technology



43



6841 Solano<sup>®</sup> II shown in Sapele Mahogany with black caming



6962 California Poppy® II shown in Cherry with shown angled mutt and black carning

 
 37151
 37152

 shown in Douglas Fir
 shown in Western Hemlock


✓ III 6992 Northwest
 ouglas 6187 sidelight, sho
 Douglas Fir with a



### **EXPLORE YOUR OPTIONS** Any Size. Any Shape.



Good things come in all shapes and sizes. The same is true of our doors. We have options beyond measure.



160, shown in Douglas Fir

**8760** Redi-Prime®



INTERIOR CRAFTSMAN DOORS



shown in Cherry



**8755** Redi-Prime®



162 shown in Douglas Fir







shown in Douglas Fir





Western Hemlock

shown in Douglas Fir

44 Ideabook



1501 Double Pocket, shown in Douglas Fir with Seedy Baroque glass

755 Double Bypass, shown in Walnut

55 Pocket, shown in Douglas Fir © Rob Karosis | Robkarosis.com



482 shown in Douglas Fir





88421 Terrace Ridge® shown in Douglas Fir with black caming 88426 Prairefield® shown in Douglas Fir with black caming



1256 shown in Walnut



shown in Douglas Fir



1501 shown in Maple shown in Douglas Fir



View more of our **Craftsman Doors** 

simpsondoor.com/craftsman

Matching bifold and fire-rated doors available for all interior panel door designs.



- 45

#### TRADITIONAL


### SETTING the Standard

Inspired by 18th- and 19th-century European décor, traditional design uses dark woods with ornate details and graceful lines for elegant sophistication. It's a timeless go-to style that exudes easy elegance and comfort by using the past to create a cozy space today.



46

View more of our **Traditional Doors** simpsondoor.com/traditional





84642 Double Pocket © Chris Loves Julia



(5) Featured Project: Chris Loves Julia Idaho Falls, ID • @chrislovesjulia





84642 © Chris Loves Julia





**4967,** shown in Sapele Mahogany with UltraBlock® technology © Davis Photography



37635, shown in Hickory with Seedy Baroque glass and UltraBlock® technology



7282 Double with Shared Arch, shown in Alder with UltraBlock® technology







4962\* (Left), 4963\* (Right) shown in Douglas Fir



7281 shown in Sapele Mahogany



7130

4968 shown in Knotty Alder shown in Sapele Mahogany



7132 shown in Oak



4570 Stratford® 4575 sidelights and 4775 transom, shown in Douglas Fir with black caming



4302 Empress® Alexandra 4322 sidelight, shown in Douglas Fir with black caming



4612\* Full Bloom® 4613\* (left) and 4614\* (right) sidelights, shown in Douglas Fir with black caming



37506 7031 Dutch shown in Douglas Fir shown in Okoume Mahogany



Of course there's more **Traditional Doors** 

\*As viewed from the exterior of the home.

EXPLORE YOUR OPTIONS

### Exterior Door Upgrades for Tough Exposures



Simpson delivers innovative ways to preserve the beauty of your wood doors, even in tough exposures subject to harsh weather. Understanding the overhang on your home, choosing door collections suitable for the conditions, and upgrading to the Nantucket Collection™ or WaterBarrier® technology will give your door the protection you desire. (See page 18 for more information)

Simpson

Door Company

49



37598 Bellaire® 37599 sidelight, shown in Douglas Fir



37010 shown in Ponderosa Pine





755, shown in Douglas Fir © Jennifer J Pan

1506, shown in Western Hemlock with Rain glass © Kismet House Design

1590 (8'0"), shown in Douglas Fir with clear art on Satin Etch glass



INTERIOR TRADITIONAL DOORS



**1292 Louver** shown in Sapele Mahogany



**465** shown in Knotty Alder







**66** shown in Douglas Fir



1181 Chalkboard shown in Cherry





s Fir shown in Pine

50 — Ideabook



1292 Louver, shown in Douglas Fir

465 Double, shown in Alder





**1420 (Left), 1430 (Right)** shown in Douglas Fir



88424 Venetia® shown in Douglas Fir with black caming



**1590 Pantry** shown in Knotty Pine with clear art on Satin Etch glass



1309 shown in Walnut



Of course there's more **Traditional Doors** 

simpsondoor.com/traditional

Matching bifold and fire-rated doors available for all interior panel door designs.







 Top: 37152 Double, with UltraBlock® technology

 Bottom: Custom, with UltraBlock® technology
 ® Nat Rea



(fin) 36803 6175 sidelights, with WaterBarrier® technology © Nat Rea

South Kingstown, RI

52 — Ideabook



### COASTAL

# *Inspire Good* VIBRATIONS

This bright and breezy aesthetic blurs the lines between indoors and out. Neutrals tones paired with beige to mimic the sand, pops of blues to resemble the surf, and natural, sturdy doors that keep the rugged beauty of the beach at bay.



View more of our **Coastal Doors** simpsondoor.com/coastal








Top: Custom, with UltraBlock<sup>®</sup> technology © Nat Rea Middle: 37153 Double, with UltraBlock<sup>®</sup> technology © Nat Rea Bottom: 37680, 37681 sidelights, with UltraBlock<sup>®</sup> technology









Top: 7501, 37802 sidelights and 37723 transom, with shaker sticking and UltraBlock<sup>®</sup> technology Bottom: 37482 Dutch, with UltraBlock<sup>®</sup> technology @robinnorwoodinteriors (Design) & @erinmcmillon (photgrapher)



#### EXTERIOR COASTAL DOORS





in Douglas Fir with shaker sticking

70730 shown in Douglas fir



37944 Dutch shown in Douglas Fir



37103

shown in

Knotty Alder



77122

shown in

Sapele Mahogany





in Douglas Fir

37444 37753 transom, shown shown in Oak



77508 Nantucket shown in Nootka Cypress

37222 37213 sidelight, shown in Douglas Fir 37122 shown in Walnut







View more of our **Coastal Doors** 

simpsondoor.com/coastal

### EXPLORE YOUR OPTIONS Your Door with Any Glass



Looking for a clear way to reflect your vision? Simpson has endless glass options that provide a variety of privacy levels, textures, lites and design aesthetics.

Simpson Door Company



Top: 8762 Redi-Prime® Bottom: 760 Double Barn, shown in Douglas Fir © Rill Architects



INTERIOR COASTAL DOORS





**20** shown in Western Hemlock

**8782** Redi-Prime®





Redi-Prime®



**1292 Louver** shown in Sapele Mahogany



1120 Chalkboard

shown in Douglas Fir





shown in Cherry





**8735** Redi-Prime®



**1315** shown in Pine

89812

Redi-Prime®

**1501** shown in Douglas Fir with Rain glass



View more of our Coastal Doors

simpsondoor.com/coastal

Matching bifold and fire-rated doors available for all interior panel door designs.





49812 Double Barn, shown in Knotty Alder © Nat Rea

8730 Redi-Prime<sup>®</sup> © Cynthia Brown Studios








**37503,** 37803 sidelight and 37723 transom, shown in Knotty Alder with UltraBlock<sup>®</sup> technology



49853 Barn, shown in Walnut with UltraBlock® technology



COTTAGE

# *Comfortably* COOL

Relaxing and rejuvenating, cottage style is all about creating light, bright and airy spaces. The eclectic design should look effortless, comfortable and livable by blending weathered surfaces, painted finishes and clean lines.



View more of our Cottage Doors

simpsondoor.com/cottage





37228, with UltraBlock<sup>®</sup> technology © Rob Karosis | robkarosis.com



4972, shown in Douglas Fir with UltraBlock® technology



37504 Double, shown in White Oak with UltraBlock® technology






shown in Douglas Fir









**36803** 6175 sidelight, shown in Douglas Fir





37228

Mahogany

shown in Sapele

shown in Maple



shown in

Nootka Cypress









37435 Dutch shown in Douglas Fir



36864

shown in

Douglas Fir

77598 Nantucket 77599 sidelight, shown in Douglas Fir with shaker sticking



6801

in Oak

6175 sidelight, shown

37106 37702 sidelight, shown shown in Cherry





simpsondoor.com/cottage

\*As viewed from the exterior of the home.

37122

in Douglas Fir

60 Ideabook



EXPLORE YOUR OPTIONS Your Door in Any Application



While most doors swing on hinges, consider other popular applications like barn track, pivot, bypass and pocket when you order doors from your Simpson Authorized Dealer.

Ideabook

62



### INTERIOR COTTAGE DOORS



49965 shown in Reclaimed Fir and Pine



49815 shown in Knotty Alder

1509

1709 sidelights, shown in Walnut

1182 Chalkboard shown in Douglas Fir

8055 Redi-Prime® with raised panel



1416 shown in Douglas Fir







shown in Western Hemlock



49824

shown in Douglas Fir





1590 Pantry shown in Douglas Fir with clear art on Satin Etch glass



View more of our **Cottage Doors** 

simpsondoor.com/cottage

Matching bifold and fire-rated doors available for all interior panel door designs.

55 shown in Douglas Fir

782 shown in with raised panel Knotty Alder

762 shown in



shown in Douglas Fir with raised panel



49802 shown in Oak











Top: 982 Pocket, with shaker sticking Bottom: 182 Pocket, shown with Satin Etch glass and shaker sticking Design: @evalarocqueinteriors and @riccostyle; Photo: @jesskettle





8782 Redi-Prime® Double Pocket Design: @evalarocqueinteriors and @riccostyle; Photo: @jesskettle



63



Featured Project: Eva LaRoque DesignSouthern & Northern CA@evalarocqueinteriors


COLONIAL

# *History in* THE MAKING

To evoke the refined aesthetic of their Western European origins, many settlers of 18th- and 19th-century America adorned their entryways with doors in the colonial style. Colonial design features balanced symmetry and subtle ornamentation that make it the perfect centerpiece for a formal yet welcoming front exterior.



View more of our **Colonial Doors** simpsondoor.com/colonial



64 — Ideabook



EXTERIOR COLONIAL DOORS





7344 3130 shown in Nootka Cypress shown in Douglas Fir











37444 Dutch shown in Douglas Fir



shown in Douglas Fir

37244

37214



7501 shown in Douglas Fir shown in Sapele Mahogany



(同

INTERIOR

COLONIAL DOORS

8755 Redi-Prime®



755

shown in Cherry



8055

Redi-Prime® with

raised panel



44

shown in Maple



Matching bifold and fire-rated doors available for all interior panel door designs.



77512 Nantucket, custom transom, shown in Nootka Cypress



7860, shown in Oak with shaker sticking and UltraBlock® technology © Jennifer Lavelle Photography



65


37120 shown in Douglas Fir



8015



shown in Pine



### SOUTHWESTERN

### BASK IN the Beauty

Born from the American desert, southwestern style gathers inspiration from the soft lines of adobe houses, ironwork and Spanish textiles. It features natural colors like terracotta and brick reds, along with deep, dark woods.



View more of our Southwestern Doors

simpsondoor.com/southwestern



#### EXTERIOR SOUTHWESTERN DOORS

7465

shown in Knotty Alder

4060 Quadrille



49853 shown in Walnut



49926 shown in Cherry with silver metal inlay



4974\* shown in Douglas Fir with Rooftop glass



shown in Douglas Fir



3010 Colonial VIII shown in Douglas Fir



77130 Nantucket shown in Douglas Fir shown in Douglas Fir



6903\* Pillar Point® shown in Maple with black caming



#### INTERIOR SOUTHWESTERN DOORS



shown in Knotty Alder with v-grooves



49965 shown in reclaimed Fir and Pine



465

shown in Knotty Alder



Fir with Thatch 50% Resin Panel



49822 (Left), 49823 (Right) shown in Douglas Fir



shown in Knotty Alder



1303 shown in Cherry



37103 Double, shown in Douglas Fir with © Cooper Doors, © Cydsimages UltraBlock® technology



6962 California Poppy® II, 6181 sidelights and custom transoms, shown in Knotty Alder with angled mutt and UltraBlock® technology



67

\*As viewed from exterior of home.

#### VICTORIAN

# OLD WORLD Elegance

This embraced style is all about embellishment. Features include pointed arch door surrounds with decorative ironwork, ornate glass and medieval influences. Wood is one of the most popular features used to pull together the design.



View more of our Victorian Doors

simpsondoor.com/victorian





Top: 37512, shown with WaterBarrier® technology Bottom: 4996, shown in Douglas Fir with UltraBlock® technology





4073 Stratford Abbey® shown in Sapele Mahogany shown in Sapele Mahogany

4041 Tudor II shown in Douglas Fir with speaking grill



4968

4964\* (Left), 4965\* (Right) shown in Douglas Fir



4302 Empress® Alexandra 4570 Stratford® 4322 sidelight, shown in Douglas Fir with black caming

\*As viewed from the exterior of the home.

black caming





4180 4586 sidelight, shown in Douglas Fir

















782 with Barletta inset moulding





shown in Douglas Fir shown in Oak

46

1580 shown in Douglas Fir





Matching bifold and fire-rated doors available for all interior panel door designs.







88 shown in Douglas Fir shown in Douglas Fir

48 shown in Douglas Fir


### *Care & Finishing*

Your Simpson door has been handcrafted to last for years to come. And like any piece of fine furniture, it needs proper finishing and periodic maintenance to keep it performing at its best. For a long-lasting, beautiful Simpson door, please follow the instructions as outlined in the care & finishing section of the Simpson website at simpsondoor.com/care-finishing/. Failure to follow Simpson's care & finishing recommendations will void the door's warranty. All Simpson doors must be finished within 72 hours after installation to meet manufacturer's warranty.

### **Fitting and Hanging**

- 1. When hanging the door, allow adequate clearance for swelling of door or frame in damp weather. Allow approximately 3/16" clearance for swelling when the door is installed in fully dry conditions. Jambs must be plumb.
- 2. Do not cut doors down in height by more than 2" (1-1/2" maximum from bottom or 1" on doors with UltraBlock® technology, 1/2" maximum from top). Care should be taken in cutting doors down in width to avoid exposing engineered components. Use a sharp fine-tooth saw for trimming ends of doors.
- 3. Caution must be used to avoid impairing the strength of the door when fitting for locks. Allow at least 1" of wood back of mortise.
- 4. Use three hinges on doors up to 7' in height and four hinges on doors over 7! Hinges must be set in a straight line to prevent distortion.
- 5. Jambs and stops must be set square and plumb.
- 6. For best performance and to meet the standard Simpson warranty, any exterior door should be installed under an overhang or with sufficient protection. Adequate overhang depends on typical weather conditions of the area where the door is installed, but at the minimum means an overhang projecting a distance from the structure equal to one half the distance between the bottom of the door and the bottom of the overhang (see figure 1).

- 7. If an adequate overhang is not feasible, Simpson offers a selection of products warranted for this application, including a five-year limited warranty on doors featuring WaterBarrier® technology and a ten-year limited warranty on Nantucket Collection<sup>™</sup> doors.
- 8. Dark colored stains are not to be used on exterior doors.
- 9. If you are looking to paint your exterior door a dark color and want the Simpson warranty to apply, you must use a Nantucket Collection door made with accoya wood species. See more info within our full care and finishing instructions.
- 10. Immediately after cutting and fitting (before hanging), seal all cut surfaces and ends of door with an effective quality sealer. See exterior and interior finishing recommendation for complete instructions.
- 11. Prior to exterior exposure, doors must be finished with complete finish system.
- 12. To minimize heat loss and save energy, use weather stripping.



### Maintenance

Your Simpson door's finish will require some simple, periodic maintenance to keep it looking great and provide proper protection against the elements. Regular finish maintenance is also a requirement of the warranty that's included with every Simpson door.

Here are some signs to watch for. They indicate that it's time for some simple, easy-to-perform maintenance:

- · Hairline cracks in the top coat of finish.
- Changes in the color of the finish.
- Changes in the texture of the finish, such as flaking or scaling.
- Dullness or chalkiness in the finish.

If you live in a severe climate or your entry receives a lot of direct sunlight from a southern or western exposure, you'll want to examine your door's finish often. Depending on the conditions, you may also need to maintain the door finish more frequently.

It is important to note that wood has inherent dynamic gualities. Over time, small surface "imperfections" may appear, and the door may shrink or swell slightly as it "breathes" with climate changes. These characteristics are perfectly normal, reflecting the natural aging process of a wood door, and they should not be considered defects. To minimize these occurrences, protect your door with the right finish and an adequate overhang.



For more information on the care and finishing of a Simpson door, please visit: simpsondoor.com/care-finishing

### Warranties

Simpson offers different warranties for different products. And warranties are different based on the following factors:

- Is it an interior or exterior door?
- If an exterior door...
  - » What is the door's exposure to the elements?
  - What color are you painting/staining the door?

Simpson has a beautiful door to fit any of these situations. So if warranty is an important factor in your door selection, make sure to choose the right door for the opening.

When you engineer doors designed to last generations, you can feel confident in assuring their durability. That's why Simpson doors are backed by some of the strongest warranties in the business. Enjoy peace-of-mind from our industry-leading warranties that are strong, secure and longlasting ... like our doors.

### **Simpson Limited Warranty**

Simpson Door Company ("Simpson") warrants that each panel door bearing the Simpson brand and identification mark complies with Industry Standard NWWDA I.S.6. and all revisions in effect as of the date of manufacture, and Simpson further warrants, except as stated below, that each such door, at the time of the shipment from Simpson, is of good material and workmanship and free from defects that would render such door unserviceable or unfit for the ordinary, recommended use. The Simpson limited warranty applies to new doors other than those sold "as is". Warranty periods for specific doors and door components, and exclusions, follow:

### One Year Exterior Door and Fire Door Warranty

For doors used in an exterior application, other than as specified herein, and for fire-rated interior doors, this warranty shall survive for one year after the date of shipment from Simpson. This warranty applies to doors properly sealed, finished and, in the case of exterior applications, hung in a location protected from exposure to direct sun or rain under normal conditions. See specific Fitting and Hanging instructions.

### **Ten Year Interior Door Warranty**

For doors used in an interior application (defined as being exposed to controlled interior climactic conditions on both sides of the door), this warranty shall survive for ten years after the date of shipment from Simpson. This warranty applies to doors properly sealed, finished and hung. See specific Fitting and Hanging instructions. The ten year warranty on interior doors does not apply to fire-rated interior doors, doors with resin panels, or doors used in commercial, hospitality or multifamily applications, in which case, the one year warranty will apply. The ten year warranty applies only to the original enduser and is not transferable.

### Ten Year Nantucket Collection™ Limited Warranty

For Nantucket Collection doors—defined as using Nantucket construction methods—in Sapele Mahogany, Douglas Fir, Nootka Cypress, Western Hemlock, or Accoya (provided factory-primed), this warranty shall survive for ten years after the date of shipment from Simpson. This warranty applies to doors properly sealed and finished per Simpson's Care and Finishing instructions. The ten year warranty on Nantucket Collection doors does not apply to doors used in commercial, hospitality or multi-family applications. Further, face-checking is considered a natural characteristic and shall not be considered a defect. The ten year warranty applies only to the original end-user and is not transferable.

### Five Year Performance Series<sup>®</sup> with WaterBarrier<sup>®</sup> Technology Door Limited Warranty

For all doors that include WaterBarrier technology over the exterior surface of the door, this warranty shall survive for five years after the date of shipment from Simpson. This warranty applies to doors properly sealed and finished per Simpson's Care and Finishing instructions. The five year warranty on doors with WaterBarrier technology does not apply to doors used in commercial, hospitality or multi-family applications. The five year warranty applies only to the original end-user and is not transferable.

### Five Year Performance Series® with UltraBlock® Technology Door Limited Warranty

For all doors that include UltraBlock technology in the bottom of the door stiles, this warranty shall survive for five years after the date of shipment from Simpson. This warranty applies to the stiles and bottom rails of doors properly sealed, finished and, in the case of exterior applications, hung in a location protected from exposure to direct sun or rain under normal conditions. See specific Fitting and Hanging instructions. Other door components are subject to Simpson's one year limited warranty.

### Lifetime SelectGuard<sup>™</sup> Limited Warranty

Simpson further provides a limited lifetime warranty on SelectGuard panels against splitting due to rain, sun, weather and other such factors exclusive of major calamity.

In the event a SelectGuard panel splits, Simpson will ship a replacement door. If Simpson has discontinued manufacturing the door type/style with the SelectGuard panel warranty claim, Simpson will issue a replacement door equal to or less than the original price of the original door purchase.

### Limited Lifetime Innerbond® Warranty

Simpson further provides a limited lifetime warranty on Innerbond panels against splitting through the entire panel due to rain, sun, weather, and other such factors exclusive of major calamity.

In the event an Innerbond panel splits through, Simpson will ship a replacement door. If Simpson has discontinued manufacturing the door type/style with the Innerbond panel warranty claim, Simpson will issue a replacement door equal to or less than the original price of the original door purchase.



For more information on these warranties or for details on limitations, exclusions or how to make a claim, please visit: simpsondoor.com/warranties.



### INDEX

Doors by Design Number Shown in Douglas Fir or Redi-Prime<sup>®</sup> unless noted.

ITEM #	PAGE
20 in Western Hemlock	56
44 in Maple	50, 65
46	51, 69
48	69
55	32, 44, 45, 50, 62
65	32, 62
66	50
66 in Oak	69
66 in Pine	65
82 in Knotty Alder	67
82 in Sapele Mahogany	38
88	69
160	44
162	44
182	33, 63
182 in White Oak	76
282	39, 67
465	56
465 in Alder	51
465 in Knotty Alder	50, 67

ITEM #       PAGE         482       45         682 in White Oak       75         720 in Cherry       38         720 in Cherry       44         720 in White Oak       6,77         720 in White Oak       6,77         730 in Poplar       32,33         755 in Cherry       65         755 in Walnut       45         760       32,44,56         762       62         765       44         782 in Walnut       62         782 in Walnut       62         782 in Walnut       62         982       29,63         1120       50         1181 in Cherry       50         1182 in Walnut       62         1182 in Cherry       32,43,69         1182 in Cherry       50         1250       69         1251       45         1250       69         1253       45         1256 in Walnut       45         1292       51		
682 in White Oak       75         720 in Cherry       38         720 in Cherry       44         720 in White Oak       6,77         720 in White Oak       6,77         730 in Poplar       32,33         755 in Cherry       65         755 in Walnut       45         760       32,44,56         762       62         762       33,69         782 in Natur       62         782 in Natur       62         982       29,63         1120       56         1181 in Cherry       50         1182 in Cherry       32         1182 in Cherry       62         1182 in Cherry       50         1250       69         1251       45	ITEM #	PAGE
720       15         720 in Cherry       38         720 in White Oak       6,77         720 in White Oak       6,77         730 in Poplar       32,33         755 in Cherry       65         760       32,44,56         762       62         766       44         782       33,69         782 in Nalnut       62         782 in Knotty Alder       62         982       29,63         1120       56         1181 in Cherry       50         1182 in Cherry       62         1182 in Cherry       50         1182 in Cherry       62         1250       69         1250       45         1250       45	482	45
720 in Cherry       38         720 in Cherry       44         720 in White Oak       6,77         730 in Poplar       32,33         755 in Cherry       50         755 in Walnut       45         760       32,44,56         762       62         762       33,69         782 in Walnut       62         782 in Walnut       62         782 in Walnut       50         1120       56         1120       50         1181 in Cherry       50         1182 in Walnut       62         1182 in Cherry       50         1250       69         1250       69         1250       45	682 in White Oak	75
720 in       44         720 in White Oak       6,77         730 in Poplar       32,33         755       50         755 in Cherry       65         755 in Walnut       45         760       32,44,56         762       62         766       44         782       33,69         782 in       62         982       29,63         1120       56         1181 in Cherry       50         1182 in       62         1250       69         1253       45	720	15
44         Western Hemlock       6,77         720 in White Oak       6,77         730 in Poplar       32,33         755       50         755 in Cherry       65         755 in Walnut       45         760       32,44,56         762       62         766       44         782 in Knotty Alder       62         982       29,63         1120       56         1181 in Cherry       50         1182 in Western Hemlock       62         1250       69         1253       45	720 in Cherry	38
730 in Poplar       32, 33         755       50         755 in Cherry       65         755 in Walnut       45         760       32, 44, 56         762       62         766       44         782       33, 69         782 in Knotty Alder       62         982       29, 63         1120       56         1181 in Cherry       50         1182 in Western Hemlock       62         1250       69         1253       45		44
755       50         755 in Cherry       65         755 in Walnut       45         760       32, 44, 56         762       62         766       44         782       33, 69         782 in Adder       62         982       29, 63         1120       56         1181 in Cherry       50         1182 in Adder       62         1182 in Adder       62         1250       69         1253       45	720 in White Oak	6, 77
755 in Cherry       65         755 in Walnut       45         760       32, 44, 56         762       62         766       44         782       33, 69         782 in Knotty Alder       62         982       29, 63         1120       56         1181 in Cherry       50         1182 in Western Hemlock       62         1250       69         1253       45         1256 in Walnut       45	730 in Poplar	32, 33
755 in Walnut       45         760       32, 44, 56         762       62         766       44         782       33, 69         782 in Knotty Alder       62         982       29, 63         1120       56         1181 in Cherry       50         1182 in Western Hemlock       62         1250       69         1253       45         1256 in Walnut       45	755	50
760       32, 44, 56         762       62         766       44         782       33, 69         782 in Knotty Alder       62         982       29, 63         1120       56         1181 in Cherry       50         1182 in Western Hemlock       32         1250       69         1253       45         1256 in Walnut       45	755 in Cherry	65
762       62         766       44         782       33,69         782 in Knotty Alder       62         982       29,63         1120       56         1181 in Cherry       50         1182 in Western Hemlock       32         1250       69         1253       45         1256 in Walnut       45	755 in Walnut	45
766       44         782       33, 69         782 in       62         982       29, 63         1120       56         1181 in Cherry       50         1182 in       32         1250       69         1253       45         1256 in Walnut       45	760	32, 44, 56
782       33, 69         782 in Knotty Alder       62         982       29, 63         1120       56         1181 in Cherry       50         1182 in Western Hemlock       32         1250       69         1253       45         1256 in Walnut       45	762	62
782 in Knotty Alder       62         982       29, 63         1120       56         1181 in Cherry       50         1182 in Western Hemlock       62         1250       69         1253       45         1256 in Walnut       45	766	44
Knotty Alder       62         982       29, 63         1120       56         1181 in Cherry       50         1182 in       62         1182 in       32         1250       69         1253       45         1256 in Walnut       45	782	33, 69
1120       56         1181 in Cherry       50         1182 in       62         1182 in       32         1250       69         1253       45         1256 in Walnut       45		62
1181 in Cherry       50         1182       62         1182 in       32         1250       69         1253       45         1256 in Walnut       45	982	29, 63
1182       62         1182 in       32         Western Hemlock       69         1250       69         1253       45         1256 in Walnut       45	1120	56
1182 in     32       1250     69       1253     45       1256 in Walnut     45	1181 in Cherry	50
Western Hemlock     32       1250     69       1253     45       1256 in Walnut     45	1182	62
1253 45 1256 in Walnut 45		32
1256 in Walnut 45	1250	69
	1253	45
1292 51	1256 in Walnut	45
	1292	51

ITEM #	PAGE
1292 in Sapele Mahogany	50, 56
1303 in Cherry	33, 56, 67
1306 in Maple	45
1306 in Western Hemlock	62
1309 in Walnut	51, 69
1310 in Pine	50
1315 in Maple	69
1315 in Pine	56
1416	62
1420	51, 65
1430	51, 65
1501	23, 45, 56
1506 in Western Hemlock	50
1509 in Walnut	62
1580	65, 69
1590	50, 62
1590 in Knotty Pine	51
1593	33
1604	33
1643	39, 56
1644	35, 38
2035	32
3010	67
3130	65
4041	69

ITEM #	PAGE
4060	67
4073 in Sapele Mahogany	69
4180	69
4302	49, 69
4570	49, 69
4612	49
4926	37, 59
4931	39
4941	39
4962	49
4963	49
4964	69
4965	69
4967 in Sapele Mahogany	48
4968 in Sapele Mahogany	49, 69
4972	14, 60
4972 in Sapele Mahogany	43
4974	5, 37, 67
4976	37
4977	5, 37, 60
4996	69
6801	42, 43
6801 in Oak	60
6803	40

ITEM #	PAGE
6841	40
6841 in Sapele Mahogany	43
6861	43
6881	43
6903 in Maple	67
6962 in Cherry	43
6962 in Knotty Alder	67
6982	43
6992	43
7001 in Knotty Alder	37
7001 in Sapele Mahogany	79
7002	49
7003	37
7008 in Oak	30
7031	49
7081	2, 3
7118 in Maple	30
7130	20, 65
7130 in Knotty Alder	49
7132	65
7132 in Oak	49
7220	5, 22
7230	78

ITEM #	PAGE	ITEM
7230 in Sapele Mahogany	79	8055
7281 in		8082
Sapele Mahogany	49	8720
7282 in Alder	48	8730
7284 in Maple	60	8733
7326	67	8735
7344 in Nootka Cypress	65	8755
7403	30, 55	8760
7404 in Cherry	30, 37	8762
7405	7	8780
7409	37	8782
7410 in Sapele Mahogany	34, 35	3680
7410 in Walnut	37	3680
7421	37	Knott 3680
7421 in Oak	7	3684
7427	36	3686
7428 in Walnut	24, 25	37010
7429 in Walnut	25	Pond
7465 in	67	37103
Knotty Alder		37103
7501	54	37104
7501 in Sapele Mahogany	30, 65	Sape 37106
7580	69	37109
7860 in Oak	65	
8015	65	37120
		37122

ITEM #	PAGE
8055	62, 65
8082	33, 51
8720	38
8730	57
8733	38
8735	38, 56, 62
8755	32, 44, 65
8760	32, 44
8762	56
8780	56
8782	33, 38, 56, 63
36803	29, 30, 40, 41, 52, 60
36803 in Knotty Alder	30
36806	28, 55, Back
36843	43
36864	60
37010 in Ponderosa Pine	30, 49
37103	67
37103 in Knotty Alder	55
37104 in Sapele Mahogany	6, 35
37106 in Cherry	60
37109 in Walnut	30
37120	65
37122	60

ITEM #	PAGE
37122 in Walnut	55
37151	43
37152	52
37152 in Western Hemlock	43
37153	53
37176	20
37186	20
37214	60, 65
37222	55
37228	60
37228 in Sapele Mahogany	60
37244	65
37435	10, 60
37444	30, 65
37444 in Oak	55
37482	31, 54, Back
37503 in Knotty Alder	58
37504	3, 30, Back
37504 in Okoume Mahogany	55
37504 in White Oak	41, 48, 60
37506	6
37506 in Okoume Mahogany	49
37508	77
37508 in White Oak	Front

ITEM #	PAGE
37512	69
37512 in White Oak	43
37598	49
37635 in Hickory	48
37662	30, 43
37680	53
37944	55
49801	79
49801 in Cherry	44
49802 in Oak	62
49812	33
49812 in Knotty Alder	32, 57, 67
49815 in Knotty Alder	62
49822	67
49823	67
49824	62
49853	29
49853 in Walnut	58, 67
49861	58
49865	30
49866	30
49900	37, 39
49900 in Knotty Alder	Back
49900 in White Oak	Back
49900 in Walnut	36

ITEM #	PAGE
49908	37
49908 in Cherry	37
49920	37
49926	17
49926 in Cherry	37, 67
49926 in Maple	37
49931	38
49932 in Sapele Mahogany	38
49941 in Sapele Mahogany	37
49955 in Sapele Mahogany	37
49965	62, 67
49966	38
70730	55, 75
70744	43, 64
70773	30
72010	60
77122 in Sapele Mahogany	55
77130	67
77134 in Sapele Mahogany	61, Back
77144 in Nootka Cypress	43, 60
77244 in Sapele Mahogany	66
77504	4
77508 in Nootka Cypress	55



ITEM #	PAGE
77512 in Nootka Cypress	65
77512 in Sapele Mahogany	54
77598	60
77664	43, 55
77860	19
84642	46, 47
88421	45
88424	51
88426	45

### *Doors by Product Name* Shown in Douglas Fir unless noted.

ITEM #	PAGE
Bellaire®	49
California Poppy® II	43, 67
Colonial VIII	67
Empress <sup>®</sup> Alexandra	49, 69
Full Bloom®	49
Northwest Garden® II	43
Pillar Point®	67
Prairiefield®	45
Quadrille	67
Scottsdale Cactus <sup>™</sup> II	43
Solano <sup>®</sup> II	43
Solano <sup>®</sup> III	43
Stratford Abbey®	69

ITEM #	PAGE
Stratford <sup>®</sup>	49, 69
Terrace Ridge®	45
Tudor II	69
Valencia <sup>™</sup> II	43
Venetia®	51

### *Sidelights* Shown in Douglas Fir unless noted.

ITEM #	PAGE
1709 in Walnut	62
4322	49, 69
4575	49, 69
4586	69
4613	49
4614	49
6170	43
6171	40, 43
6175	43, 52, 60
6175 in Oak	60
6181 in Knotty Alder	67
6185	43
6187	43
7701	29
7810 in Walnut	37
7813	55

ITEM #	PAGE
37213 in White Oak	43
37599	49
37663	30, 43
37681	53
37702	60
37705	28, 64, Back
37802	54
37803 in Knotty Alder	58
37804	77
49910	37
77260	19
77599	60
77663	55
77802	4

### *Transoms* Shown in Douglas Fir unless noted.

ITEM #	PAGE
4775	49
6787	43
7725	40
7741 in Oak	30
7751	30, Back
7751 in Cherry	37
37723	54
37723 in Knotty Alder	58
37753	30, 55
37754	20







682 Round Top, shown in White Oak © We're the Whites







Simpson® Door Company





7230 Custom Double, with WaterBarrier® technology